



SINGHAIYI
GROUP

BUILDING FOR GENERATIONS
精诚存信 佳业传承



SIGNATURE


THE PREMIUM RESORT



PARC
CLEMATIS
锦泰門第



PRIME AND PRISTINE PERFECTION



- 2 TOWER BLOCKS WITH A SIGNATURE TOUCH OF CLASSY REFINEMENT
- “PREMIUM BOUTIQUE LIVING” WITH 50M LAP POOL AND LUSH LANDSCAPE SURROUNDINGS
- REFINED DETAILS ADDED TO THE FAÇADE FOR A SUBTLE YET SOPHISTICATED TONE
- BLOCK 6 and 6A

ENJOY COMMUNAL LIVING WITH

approx. **400,000** sq. ft.

OF FACILITIES



RELAX⁺

- 1 LAWN 1 (READING LAWN)
- 2 RAIN GARDEN
- 3 COMMUNITY GARDEN
- 4 RAIN SPA PAVILION
- 5 CABANA
- 6 LAWN 3 (STARGAZING LAWN)
- 7 PAVILION STUDY 1 (CHILLAX CORNER 1)
- 8 PAVILION STUDY 2 (CHILLAX CORNER 2)
- SKY GARDEN (Block 8E @ 24th Storey)

RELAX

- 9 LAWN 2 (PICNIC LAWN)
- 10 DINING DECK
- 11 JACUZZI ALCOVE 1
- 12 JACUZZI ALCOVE 2
- 13 AQUATHERAPY POOL
- 14 REFLEXOLOGY GARDEN
- 15 HYDROTHERAPY POOL
- 16 DINING PAVILION (TEA PLACE)
- 17 PAVILION (STUDY / LOUNGE 1)
- 18 PAVILION (STUDY / LOUNGE 2)

BALANCE

- 19 WATER FEATURES 1
- 20 WATER FEATURES 2
- 21 WATER FEATURES 3
- 22 CLUBHOUSE 1 (READING ROOM)
- 23 CHANGING ROOM & STEAM ROOM
- 24 LAUNDRY PAVILION
- 25 POOL DECK 1
- 26 POOL DECK 2
- 27 50M LAP POOL 1
- 28 POOL DECK 3
- 29 50M LAP POOL 2
- 30 POOL DECK 4
- 31 50M LAP POOL 3
- 32 POOL DECK 5
- 33 COURTYARD PAVILION (CLEMATIS PAVILION)
- 34 PAVILION (PET'S PLAYGROUND)
- 35 PET LAWN

ACTIVE

- 36 CLUBHOUSE 2 (CHEF'S KITCHEN)
- 37 CLUBHOUSE 3 (CELEBRATION HALL)
- 38 DINING PAVILION (MEDITERRANEAN 1)
- 39 DINING PAVILION (MEDITERRANEAN 2)
- 40 DINING PAVILION (CARIBBEAN)
- 41 DINING PAVILION (GREENHOUSE)
- 42 DINING PAVILION (TEPPANYAKI)
- 43 DINING PAVILION (WOK IT)
- 44 TODDLER PLAY POOL
- 45 KIDS' WATER PLAY
- 46 PAVILION KIDS PORTABLE BBQ (KIDS' PLAYHOUSE)

ACTIVE⁺

- 47 CLUBHOUSE 4 @ L1 (MULTI-PURPOSE ENTERTAINMENT ROOM : Music / Games Console / Movie)
- 48 CLUBHOUSE 4 @ L1 (MULTI-PURPOSE GAMES ROOM)
- 49 CLUBHOUSE 5 @ L2 (GYM)
- 50 CLUBHOUSE 5 @ L2 (DANCE STUDIO)
- 51 PLAYGROUND 1 (AQUATIC THEMED)
- 52 MAIN POOL (BEACH POOL)
- 53 TENNIS COURT
- 54 MULTI-PURPOSE COURT
- 55 OUTDOOR FITNESS 1
- 56 OUTDOOR FITNESS 2
- 57 PAVILION SPORT (SPORTS ARENA)
- 58 CAMPING GARDEN
- 59 PLAYGROUND 2 (INCLUSIVE)
- 60 PLAYGROUND 3 (ZOO THEMED)

ANCILLARIES

- A MAIN ENTRANCE
- B DROP-OFF
- C GUARDHOUSE
- D SIDE GATE
- E ARRIVAL LOBBY
- F COVERED LINKWAY TO AYE BUS STOP B1
- G COVERED LINKWAY TO BUS STOP B3 AND TO CLEMENTI MRT VIA CASCADIA
- H SECONDARY VEHICULAR ACCESS
- I SUBSTATION / TRANSFORMER ROOM
- J MDF (Main Distribution Frame)
- K GENSET
- L BIN CENTRE
- M M&E VENTILATION SHAFT
- WATER TANK (All Towers @ Lower Roof Level)
- BOOSTER PUMP



OVERALL FACILITIES PLAN

UNIT DISTRIBUTION CHART



BLOCK 6

CHOICE UNITS

UNIT STOREY	01	02	03	04
24	5BR P2 - H	5BR P2 - H	4BR P2 - H	4BR P2 - H
23	5BR P2	5BR P2	4BR P2	4BR P2
22	5BR P2	5BR P2	4BR P2	4BR P2
21	5BR P2	5BR P2	4BR P2	4BR P2
20	5BR P2	5BR P2	4BR P2	4BR P2
19	5BR P2	5BR P2	4BR P2	4BR P2
18	5BR P2	5BR P2	4BR P2	4BR P2
17	5BR P2	5BR P2	4BR P2	4BR P2
16	5BR P2	5BR P2	4BR P2	4BR P2
15	5BR P2	5BR P2	4BR P2	4BR P2
14	5BR P2	5BR P2	4BR P2	4BR P2
13	5BR P2	5BR P2	4BR P2	4BR P2
12	5BR P2	5BR P2	4BR P2	4BR P2
11	5BR P2	5BR P2	4BR P2	4BR P2
10	5BR P2	5BR P2	4BR P2	4BR P2
9	5BR P2	5BR P2	4BR P2	4BR P2
8	5BR P2	5BR P2	4BR P2	4BR P2
7	5BR P2	5BR P2	4BR P2	4BR P2
6	5BR P2	5BR P2	4BR P2	4BR P2
5	5BR P2	5BR P2	4BR P2	4BR P2
4	5BR P2	5BR P2	4BR P2	4BR P2
3	5BR P2	5BR P2	4BR P2	4BR P2
2	5BR P2	5BR P2	4BR P2	4BR P2
1				
B1				

BLOCK 6A

CHOICE UNITS


UNIT STOREY	05	06	07	08
24	4BR P3 - H	5BR P2 - H	3BR P3 - H	3BR P3 - H
23	4BR P3	5BR P2	3BR P3	3BR P3
22	4BR P3	5BR P2	3BR P3	3BR P3
21	4BR P3	5BR P2	3BR P3	3BR P3
20	4BR P3	5BR P2	3BR P3	3BR P3
19	4BR P3	5BR P2	3BR P3	3BR P3
18	4BR P3	5BR P2	3BR P3	3BR P3
17	4BR P3	5BR P2	3BR P3	3BR P3
16	4BR P3	5BR P2	3BR P3	3BR P3
15	4BR P3	5BR P2	3BR P3	3BR P3
14	4BR P3	5BR P2	3BR P3	3BR P3
13	4BR P3	5BR P2	3BR P3	3BR P3
12	4BR P3	5BR P2	3BR P3	3BR P3
11	4BR P3	5BR P2	3BR P3	3BR P3
10	4BR P3	5BR P2	3BR P3	3BR P3
9	4BR P3	5BR P2	3BR P3	3BR P3
8	4BR P3	5BR P2	3BR P3	3BR P3
7	4BR P3	5BR P2	3BR P3	3BR P3
6	4BR P3	5BR P2	3BR P3	3BR P3
5	4BR P3	5BR P2	3BR P3	3BR P3
4	4BR P3	5BR P2	3BR P3	3BR P3
3	4BR P3	5BR P2	3BR P3	3BR P3
2	4BR P3	5BR P2	3BR P3	3BR P3
1				
B1				

3 - BED ROOM



TYPE 3BR - P3

Area 116 sq m / (approx. 1249 sq ft)
(Inclusive of 10 sq m balcony
& 5 sq m AC ledge)

Block 6A #02-07 TO #23-07
#02-08 TO #23-08 (mirrored)



Key plan is not drawn to scale



TYPE 3BR - P3 H

Area 137 sq m / (approx. 1475 sq ft)
(Inclusive of 10 sq m balcony,
5 sq m AC ledge & 21 sq m
high void)

Block 6A #24-07 & #24-08 (mirrored)



LEGEND:
F - Fridge DB - Distribution Board ST - Storage W - Washer & Dryer Only Applicable to High Void
U/CF - Under Counter Fridge WIC - Under Counter Wine Chiller


All plans are subjected as may be approved by relevant authorities. Floor areas are approximate measurements and are subjected to final survey.
The balcony shall not be enclosed unless with the approved screen. For illustration of the approved balcony screen, please refer to Annexure A of this brochure.

4 - B E D R O O M



TYPE 4BR - P2

Area 139 sq m / (approx. 1496 sq ft)
(Inclusive of 12 sq m balcony
& 8 sq m AC ledge)

Block 6 #02-03 TO #23-03
#02-04 TO #23-04 (mirrored)



Key plan is not drawn to scale



TYPE 4BR - P2 H
Area 164 sq m / (approx. 1765 sq ft)
(Inclusive of 12 sq m balcony,
8 sq m AC ledge & 25 sq m
high void)

Block 6 #24-03 & #24-04



LEGEND:
F - Fridge DB - Distribution Board ST - Storage W- Washer & Dryer
U/CF - Under Counter Fridge WIC - Under Counter Wine Chiller


All plans are subjected as may be approved by relevant authorities. Floor areas are approximate measurements and are subjected to final survey.
The balcony shall not be enclosed unless with the approved screen. For illustration of the approved balcony screen, please refer to Annexure A of this brochure.

4 - B E D R O O M


TYPE 4BR - P3

Area 136 sq m / (approx. 1464 sq ft)
(Inclusive of 12 sq m balcony,
& 7 sq m AC ledge)

Block 6A #02-05 TO #23-05




Key plan is not drawn to scale



LINE OF ALUMINIUM FIN @ 5TH, 9TH, 13TH, 17TH, 21ST & LOWER ROOF

TYPE 4BR - P3 H
Area 161 sq m / (approx. 1733 sq ft)
(Inclusive of 12 sq m balcony,
7 sq m AC ledge & 25 sq m
high void)

Block 6A #24-05



LEGEND:
F - Fridge DB - Distribution Board ST - Storage W- Washer & Dryer
U/CF - Under Counter Fridge WIC - Under Counter Wine Chiller

All plans are subjected as may be approved by relevant authorities. Floor areas are approximate measurements and are subjected to final survey.
The balcony shall not be enclosed unless with the approved screen. For illustration of the approved balcony screen, please refer to Annexure A of this brochure.


5 - B E D R O O M

TYPE 5BR - P2



Area 159 sq m / (approx. 1711 sq ft)
(Inclusive of 13 sq m balcony
& 9 sq m AC ledge)

Block 6 #02-01 TO #23-01 (mirrored)
#02-02 TO #23-02

Block 6A #02-06 TO #23-06



Key plan is not drawn to scale



TYPE 5BR - P2 H

Area 184 sq m / (approx. 1981 sq ft)
(Inclusive of 13 sq m balcony,
9 sq m AC ledge & 25 sq m
high void)


Block 6 #24-01 (mirrored) & #24-02
Block 6A #24-06



LEGEND:
F - Fridge DB - Distribution Board ST - Storage W - Washer & Dryer
U/CF - Under Counter Fridge WIC - Under Counter Wine Chiller

All plans are subjected as may be approved by relevant authorities. Floor areas are approximate measurements and are subjected to final survey.
The balcony shall not be enclosed unless with the approved screen. For illustration of the approved balcony screen, please refer to Annexure A of this brochure.

A N N E X U R E 1




BLK- 6 AND 6A

BALCONY SCREEN NOTICE

1. THE BALCONY SHALL NOT BE ENCLOSED UNLESS WITH THE APPROVED BALCONY SCREEN.
2. THE PURCHASER WILL HAVE TO BEAR THE COST OF INSTALLING THE BALCONY SCREEN IF THEY WISH TO, AFTER TAKING OVER THE UNIT.

THE PROPOSED BALCONY SHALL BE POROUS ENOUGH TO ALLOW FOR NATURAL VENTILATION WITHIN THE BALCONY AT ALL TIMES EVEN WHEN THE SCREENS ARE FULLY DRAWN CLOSED. THE PROPOSED BALCONY SCREEN SHALL ALSO BE CAPABLE OF BEING DRAWN OPEN OR RETRACTED FULLY.

BP NO.: A1716-00006-2018-BP01
BP APPROVAL DATE: 12 JUNE 2019



SPECIFICATIONS

1. FOUNDATION

Bored piles and/or pre-cast piles and/or reinforced concrete piles and/or footings and/or non-suspended slab on grade

2. SUPERSTRUCTURE

Pre-cast and/or cast-in-situ reinforced concrete and reinforced concrete pre-fabricated and pre-cast bathroom units (PBU) and steel structures

3. WALLS

- (a) External Wall curtain : Concrete wall and/or pre-cast wall and/or lightweight block wall and/or wall where applicable
- (b) Internal Wall : Concrete wall and/or lightweight concrete panels and/or block wall and/or drywall partition system

4. ROOF

- (a) Flat Roof insulation : Reinforced concrete roof and/or metal roof with appropriate thermal and waterproofing system

5. CEILING

(a) Apartment

- i Bedroom, Living and Dining, Kitchen (wet and dry), Bathroom, Walk-in Wardrobe, Store, Study, Powder Room, DB, WC, Yard, Hallway to Bedroom, Balcony, AC Ledge, PES. Emulsion paint on box-up and/or moisture resistance board on skim-coated concrete ceiling and/or box-up ceiling board and/or bulkhead and/or appropriate ceiling to designated area (where applicable)

Foyer

Typical Storey : Room clearance not lower than 2825 mm;

High Volume Unit : Room clearance not lower than 2825 mm;

Strata Houses : Room clearance not lower than 3000 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Living/Dining

Typical Storey : Room clearance not lower than 2875 mm;

High Volume Unit : Room clearance not lower than 4325 mm;

Strata Houses : Room clearance not lower than 3600 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable).

Bedroom

Typical Storey : Room clearance not lower than 2850 mm;

High Volume Units : Room clearance not lower than 2850 mm;

Strata (Terrace) : Room clearance not lower than 3200 mm;

Strata (Bungalow) : Room clearance not lower than 3600 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable).

Family/Study

Typical Storey : Room clearance not lower than 2850 mm;

Strata (Terrace) : Room clearance not lower than 2600 mm;

Strata (Bungalow) : Room clearance not lower than 2800 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Kitchen (Dry)

Typical Storey : Room clearance not lower than 2875 mm;

High Volume : Room clearance not lower than 4325 mm;

Strata Houses : Room clearance not lower than 2800 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Kitchen (Wet)/Yard

Typical Storey : Room clearance not lower than 2450 mm;

High Volume : Room clearance not lower than 2450 mm;

Strata Houses : Room clearance not lower than 2800 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Store

Typical Storey : Room clearance not lower than 2450 mm;

High Volume : Room clearance not lower than 2450 mm;

Strata : Room clearance not lower than 3000 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Bathroom, Powder Room, and WC

Typical Storey : Room clearance not lower than 2475 mm;

High Volume : Room clearance not lower than 2475 mm;

Strata : Room clearance not lower than 2800 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Hallway to Bedroom

Typical Storey : Room clearance not lower than 2450 mm;

High Volume : Room clearance not lower than 2450 mm;

Strata : Room clearance not lower than 3000 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

Balcony/PES/A/C Ledge

Typical Storey : Room clearance not lower than 2825 mm;

High Volume : Room clearance not lower than 2825 mm;

Strata : Room clearance not lower than 2825 mm;

Bulkhead ceiling not lower than 2450 mm (where applicable)

- ii Other parts of the apartment: Skim coat and/or cement sand plaster with paint finish and/or bulkhead to designated areas (where applicable)

(b) Common Area

i Lift Lobbies at Basement, 1st Storey and Typical Lobbies:

Emulsion paint on box-up and/or moisture resistance board on skim-coated concrete ceiling and/or box-up ceiling board and/or bulkhead and/or appropriate ceiling (where applicable)

ii Staircases:

Emulsion paint on skim-coat concrete ceiling and/or ceiling board and/or bulkhead (where applicable)

iii Basement Carpark and Ramps:

Emulsion paint on skim-coat concrete ceiling

6. FINISHES

(a) Wall

- i Unit: Living, Dining, Bedrooms, Store, Hallway to Bedroom, Balcony: Skim coat and/or cement sand plaster with paint finish (where applicable)

Bathrooms, WC, Kitchen, Yard: Stone and/or homogeneous tiles and/or porcelain tiles and/or skim coat and/or cement sand plaster with paint finish

Built-in cabinet, vanity counter, above ceiling, wardrobes: No finishes will be provided at areas above ceiling and behind built-in cabinets, wardrobes and vanity counters, etc.
- ii Common Area : Basement: Skim coat and/or cement sand plaster with paint finish and/or stone and/or homogeneous tiles and/or textured paint and/or thin tile and/or textured paint and/or thin tile and/or Laminate (where applicable)

Lift Lobbies Entrance, Lift Lobbies: Skim coat and/or cement sand plaster with paint finish and/or stone and/or homogeneous tiles and/or textured paint and/or thin tile and/or laminate (where applicable)

Common Corridors, Staircases: Skim coat and/or cement sand plaster with paint finish (where applicable)

(b) Floor

a. Unit

- i 1BR, 2BR: Living, Dining, Kitchen, Foyer, and Hallways: Porcelain and/or homogeneous with porcelain and/or homogeneous skirting
- ii 3BR, 4BR, 5BR, PH, Strata: Living, Dining, Kitchen, Foyer, and Hallways: Stone and/or porcelain and/or homogeneous with stone and/or porcelain and/or homogeneous skirting
- iii All Units: Bedroom Engineered timber flooring with timber skirting
- iv All Units: Bathrooms, Kitchen, Yard, WC, Powder Room: Stone and/or porcelain and/or homogeneous tile
- v All Units: Study, Store: Stone and/or porcelain and/or homogeneous floor tiles with stone and/or porcelain and/or homogeneous skirting

- vi All Units: A/C Ledge, RC Ledge: Cement sand screed and/or smooth concrete surface

- vi All Units Balcony: Porcelain and/or homogeneous floor tiles with appropriate skirting (where applicable)

b. Common Area

- i Lift Lobby (Basement and 1st Storey only): Stone and/or marble and/or homogeneous tile flooring with appropriate skirting
- ii Common Corridor, Sky Garden, Toilets, Changing Rooms: Stone and/or porcelain and/or homogeneous tiles with appropriate skirting
- iii Staircases, M&E Rooms: Cement sand screed
- iv Carpark, Ramps, Driveways: Smooth concrete finish with Epoxy coating and/or appropriate hardener

7. WINDOWS

All windows of the apartment shall be aluminium framed with clear and/or tinted and/or frosted and/or spandrel glass (where applicable) and/or laminated glass and/or ceramic laminated fritted (where applicable)

8. DOORS

- a. Unit Main Entrance: Approved fire-rated timber door with digital lock
- b. Bedrooms, Bathrooms, Store room, Dining, Kitchen: Hollow core timber swing and/or sliding door (Where applicable)
- c. Balcony: Aluminium framed with sliding door glass panels
- d. To Store and WC at Wet Kitchen and/or Kitchen and/or Yard: Aluminium framed slide and swing door (Where applicable)

All doors shall be provided with quality locksets and ironmongery.

9. SANITARY FITTINGS

i. Master Bathroom/Junior Master Bathroom

1 vanity mirror with cabinet
1 overhead shower, where applicable
1 bathtub, where applicable
1 bathtub mixer, where applicable
1 shower set
1 shower mixer
1 wall hung water closet with concealed cistern
1 and/or 2 wash basin, where applicable
1 and/or 2 basin mixer, where applicable
1 towel rail, where applicable
1 toilet paper holder

ii. Bath 1/Bath 2/Bath 3/Bath 4

1 vanity mirror with cabinet
1 shower set
1 shower mixer
1 wall hung water closet with concealed cistern
1 wash basin
1 basin mixer
1 toilet paper holder
1 towel rail, where applicable

iii. WC

1 shower set
1 shower mixer
1 pedestal water closet
1 wash basin
1 toilet paper holder

iv. Balcony

1 bib tap

10. ELECTRICAL INSTALLATION

- a. Electrical wiring within the Unit shall generally be concealed, except those above the suspended (false) ceiling, within DB and at the AC ledge, which shall be in exposed conduits, trays or trunking. All electrical wirings shall be in accordance with Singapore Code of Practice CP5.

- b. Refer to Electrical Schedule for details.

Electrical schedule													
Type/ Location	Lighting Points	Switched Socket Outlet	TV Points	Telephone/ Data points	Cooker Hood Points	Hob Points	Microwave/ Oven Points	Fridge/Wine Chiller Points	Washer/ Dryer Points	Bell Points	Heater Points	Air Con Isolator	Smoke detectors
Masterpiece													
TERRACE	28	32	6	7	1	2	2	2	2	1	5	4	1 3
TERRACE CORNER	32	35	7	8	1	2	2	2	2	1	6	4	1 3
BUNGALOW	38	40	8	9	1	2	2	2	2	1	6	5	1 3

Electrical schedule													
Type/ Location	Lighting Points	Switched Socket Outlet	TV Points	Telephone/ Data points	Cooker Hood Points	Hob Points	Microwave/ Oven Points	Fridge/Wine Chiller Points	Washer/ Dryer Points	Bell Points	Heater Points	Air Con Isolator	Smoke detectors
Contemporary													
1BR-1	7	13	2	3	1	1	1	1	1	1	2	1	1 1
1BR-1H	7	13	2	3	1	1	1	1	1	1	2	1	1 1
1BR-2	7	13	2	3	1	1	1	1	1	1	2	1	1 1
1BR-2H	7	13	2	3	1	1	1	1	1	1	2	1	1 1
1BR+S1	8	14	2	4	1	1	1	1	1	1	2	1	1 1
1BR+S2	8	14	2	4	1	1	1	1	1	1	2	1	1 1
1BR+S2-H	8	14	2	4	1	1	1	1	1	1	2	1	1 1
1BR+S3	8	14	2	4	1	1	1	1	1	1	2	1	1 1
1BR+S3-H	8	14	2	4	1	1	1	1	1	1	2	1	1 1
2BR-1	9	18	3	4	1	1	1	1	1	1	2	2	1 1
2BR - 1H	9	18	3	4	1	1	1	1	1	1	2	2	1 1
2BR DK - 1	10	19	3	4	1	1	2	2	1	1	2	2	1 2
2BR DK 1 - H	10	19	3	4	1	1	2	2	1	1	2	2	1 2
2BR DK - 2	10	19	3	4	2	2	2	2	1	1	2	2	1 2
2BR DK - 2 H	10	19	3	4	2	2	2	2	1	1	2	2	1 2
3BR	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - H	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - 1	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - 1 H	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - 2	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - 2 H	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - 3	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR - 3 H	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR DK - 1	13	22	4	5	1	1	2	2	1	1	4	3	1 2
3BR DK - 1H	13	22	4	5	1	1	2	2	1	1	4	3	1 2
3BR DK - 2	13	22	4	5	2	2	2	2	1	1	4	3	1 2
3BR DK - 2H	13	22	4	5	2	2	2	2	1	1	4	3	1 2
3BR P-1	13	22	4	5	1	1	1	1	1	1	4	3	1 1
3BR P-1H	13	22	4	5	1	1	1	1	1	1	4	3	1 1
4BR-1	15	25	5	6	1	1	1	2	2	1	4	3	1 2
4BR-1H	15	25	5	6	1	1	1	2	2	1	4	3	1 2
4BR-2	15	25	5	6	1	1	1	2	2	1	4	3	1 2
4BR-2H	15	25	5	6	1	1	1	2	2	1	4	3	1 2

Electrical schedule													
Type/ Location	Lighting Points	Switched Socket Outlet	TV Points	Telephone/ Data points	Cooker Hood Points	Hob Points	Microwave/ Oven Points	Fridge/Wine Chiller Points	Washer/ Dryer Points	Bell Points	Heater Points	Air Con Isolator	Smoke detectors
Elegance													
2BR-2	9	18	3	4	1	1	1	1	1	1	2	2	1 1
2BR-3	9	18	3	4	1	1	1	1	1	1	2	2	1 1
2BR-4	9	18	3	4	1	1	1	1	1	1	2	2	1 1
2BR-5	9	18	3	4	1	1	1	1	1	1	2	2	1 1
2BR-S1	9	18	3	4	1	1	1	1	1	1	2	2	1 1
3BR-4	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR-5	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR-6	11	20	4	5	1	1	1	1	1	1	3	3	1 1
3BR-P2	13	23	4	5	1	1	1	1	1	1	4	3	1 1
4BR P1	16	28	5	6	1	1	1	2	2	1	4	3	1 2
5BR 1	21	31	6	7	1	2	2	2	2	1	5	3	1 2
5BR 1-H	21	31	6	7	1	2	2	2	2	1	5	3	1 2
5BR 2	21	31	6	7	1	2	2	2	2	1	5	3	1 2
5BR 2-H	21	31	6	7	1	2	2	2	2	1	5	3	1 2
PH 1	25	32	6	7	1	2	2	2	2	1	5	3	1 2
PH 2	25	32	6	7	1	2	2	2	2	1	5	3	1 2
PH 3	25	32	6	7	1	2	2	2	2	1	5	3	1 2
PH 4	25	32	6	7	1	2	2	2	2	1	5	3	1 2
PH 5	25	32	6	7	1	2	2	2	2	1	5	3	1 2

Electrical schedule													
Type/ Location	Lighting Points	Switched Socket Outlet	TV Points	Telephone/ Data points	Cooker Hood Points	Hob Points	Microwave/ Oven Points	Fridge/Wine Chiller Points	Washer/ Dryer Points	Bell Points	Heater Points	Air Con Isolator	Smoke detectors
Signature													
3BR P3	13	24	4	5	1	1	1	1	2	1	3	3	1 2
3BR P3-H	13	24	4	5	1	1	1	1	2	1	3	3	1 2
4BR P2	16	28	5	6	1	1	1	2	2	1	4	3	1 2
4BR P2-H	16	28	5	6	1	1	1	2	2	1	4	3	1 2
4BR P3	16	28	5	6	1	1	1	2	2	1	4	3	1 2
4BR P3-H	16	28	5	6	1	1	1	2	2	1	4	3	1 2
5BR P2	21	31	6	7	1	2	2	2	2	1	5	3	1 2
5BR P2-H	21	31	6	7	1	2	2	2	2	1	5	3	1 2

11. TV/CABLE SERVICES/FM/TELEPHONE POINTS

Refer to Electrical Schedule for details

12. LIGHTNING PROTECTION

Lightning Protection System shall be provided in accordance with current edition of Singapore Standard SS555: 2018

13. PAINTING

- a. External Wall

Spray textured coating and/ or emulsion paint and/ or other approved exterior paint
- b. Internal Wall

Emulsion paint

14. WATERPROOFING

Where applicable, appropriate waterproofing systems are provided for Bathrooms, Kitchen, Toilets, Wet Kitchen/Kitchen, Balcony, Landscaped Deck, Open Terraces,Planter Box, Reinforced Concrete Flat/Sloping Roofs, Pools, Water Features, Changing Rooms, Common Toilets and Basements. Appropriate waterproofing systems are provided where applicable

15. DRIVEWAY AND CAR PARK

Interlocking pavers and/or cobblestones and/or concrete floors with hardener are provided at driveways and carpark areas

16. RECREATION FACILITIES

- 1) Lawn
- 2) Rain Garden
- 3) Community Garden
- 4) Rain Spa Pavilion
- 5) Cabana
- 6) Dining Deck
- 7) Pavilion
- 8) Jacuzzi Alcove
- 9) Aquatherapy Pool
- 10) Reflexology Garden
- 11) Hydrotherapy Pool
- 12) Dining Pavilion
- 13) Water Features
- 14) Clubhouse
- 15) Changing Room & Steam Room
- 16) Laundry Pavilion
- 17) Pool Deck
- 18) 50m Lap Pool
- 19) Courtyard Pavilion
- 20) Pet Lawn
- 21) Toddler Play Pool
- 22) Kids' Water Play
- 23) Pavilion Kids Portable BBQ
- 24) Playground
- 25) Main Pool
- 26) Tennis Court
- 27) Multi-purpose Court
- 28) Outdoor Fitness
- 29) Pavilion Sports
- 30) Camping Garden

17. ADDITIONAL ITEMS

- a. Kitchen Cabinets

Laminated finish with engineered countertop and/or quartz and/or stone and/or solid surface and/or tile worktop finish (where applicable)
- b. Kitchen Appliances

Telescopic Hood,
Built-in Induction Hob (where applicable),
Built-in Gas Hob (where applicable),
Built-in Microwave Oven (where applicable),
Built-in Convention Oven (where applicable),
Undercounter Refrigerator (where applicable),
Refrigerator
Washer Cum Dryer
Wine Chiller (where applicable)

c. Wardrobes

Wardrobe to all bedrooms except 3BR bedroom 3 and 4BRP1 bedroom 4

d. Water Heater

Hot water supply to all Kitchens and all Baths except WC

e. Air-conditioners

Wall mounted fan coil units (FCU) to Living/Dining, Bedrooms

f. Home Fire Alarm Devices

Types	Smoke Detector
1 BR-1, 1 BR-1 H, 1 BR-2, 1 BR-2 H, 1 BR-S1, 1 BR-S1 H, 1 BR-S2, 1 BR-S2 H, 1 BR-S3, 1 BR-S3 H, 2 BR-1, 2 BR-1 H, 2 BR-2, 2 BR-3, 2 BR-4,2 BR-5, 2 BR-S1, 3 BR, 3 BR H, 3 BR 1, 3 BR 1H, 3 BR-2, 3 BR-2 H, 3 BR-3, 3 BR-3 H, 3 BR-4, 3 BR-5, 3 BR-6, 3 BR-P1, 3 BR-P1 H, 3 BR-P2	1
2 BR-DK1, 2 BR-DK1 H, 2 BR-DK2, 2 BR-DK2 H, 3 BR-DK1, 3 BR-DK1 H, 3 BR-DK2, 3 BR-DK2 H, 3 BR-P3, 3 BR-P3 H, 4 BR-1, 4 BR-1 H, 4 BR-2, 4 BR-2 H, 4 BR-P1, 4 BR-P2, 4 BR-P2 H, 4 BR-P3, 4 BR-P3 H, 5 BR-1, 5 BR-1 H, 5 BR-2, 5 BR-2 H, 5 BR-P2, 5 BR-P2 H PH-1, PH-2, PH-3, PH-4, PH-5	2
TERRACE, CORNER TERRACE, BUNGALOW	3

18. GATE AND ENCLOSURE

Metal railing with metal gates

19. SOIL TREATMENT

Anti-termite soil treatment by specialist to ground level below building approved by relevant authorities

20. SECURITY SYSTEM

- a. Proximity card access to designated Lift lobbies and to side gates.
- b. Audio Video Intercom system provided to all units
- c. CCTV for common areas.

21. WASTE DISPOSAL SYSTEM

Pneumatic waste conveyance system

Notes to Specifications

A. MARBLE/COMPRESSED MARBLE/LIMESTONE/GRANITE/QUARTZ

Marble/compressed marble/limestone/granite/quartz are natural stone materials containing veins with tonality differences. There will be colour and markings caused by their complex mineral composition and incorporated impurities. While such materials can be pre-selected before installation, this non-conformity in the marble/compressed marble/limestone/granite/quartz as well as non-uniformity between pieces cannot be totally avoided. Granite tiles are pre-polished before laying and care has been taken for their installation. However, granite, being a much harder material than marble, cannot be re-polished after installation. Hence, some differences may be felt at the joints. Subject to clause 14.3, the tonality and pattern of the marble, limestone or granite selected and installed shall be subject to availability.

B. ENGINEERED TIMBER FLOORING

Engineered timber flooring materials containing veins and tonal differences. Thus, it is not possible to achieve total consistency of colour and grain in their selection and installation. Timber floorings are also subject to thermal expansion and contraction beyond the control of the builder and the Vendor. Engineered timber that is used outdoors may become bleached due to sunlight and rain. Thus, the cycle of maintenance on staining will need to be increased as required. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and 17.

C. AIR-CONDITIONING SYSTEM

To ensure good working condition of the air-conditioning system, the system has to be maintained and cleaned on a regular basis by the Purchaser. This includes the cleaning of filters, clearing of condensate pipes and charging of gas. The Purchaser is advised to engage his own contractor to service the air-conditioning system regularly.

D. TELEVISION AND/OR INTERNET ACCESS

The Purchaser is liable to pay annual fee, subscription fee and such other fees to the television and/or internet service providers or any other relevant party or any relevant authorities. The Vendor is not responsible to make arrangements with any of the said parties for the service connection for their respective channels and/or internet access.

E. MATERIALS, FITTINGS, EQUIPMENT, FINISHES, INSTALLATIONS AND APPLIANCES

Subject to clause 14.3, the brand, colour and model as specified for all materials, fittings, equipment, finishes, installations and appliances to be supplied shall be provided subject to the Architect's selection and market availability.

F. LAYOUT/LOCATION OF FAN COIL UNITS, ELECTRICAL POINTS, TELEVISION POINTS, TELECOMMUNICATION POINTS, AUDIO INTERCOM SYSTEM, DOOR SWING POSITIONS AND PLASTER CEILING BOARDS

Layout/location of fan coil units, electrical points, television points, telecommunication points, audio intercom system, door swing positions and plaster ceiling boards are subject to the Architect's final decision and design.

G. WARRANTIES

Where warranties are given by the manufacturers and/or contractors and/or suppliers of any of the equipment and/or appliances installed by the Vendor at the Unit, the Vendor will assign to the Purchaser such warranties at the time when vacant possession of the Unit is delivered to the Purchaser. Notwithstanding this assignment, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and 17.

H. WEB PORTAL OF THE HOUSING PROJECT

The Purchaser will have to pay annual fee, subscription fee or any such fee to the service provider of the Web Portal of the Housing Project as may be appointed by the Vendor or the Management Corporation when it is formed.

I. FALSE CEILING

The false ceiling space provision allows for the optimal function and installation of M&E services. Access panels are allocated for ease of maintenance access to concealed M&E equipment for regular cleaning purposes. Where removal of equipment is needed, ceiling works will be required. Location of false ceiling is subject to the Architect's sole discretion and final design.

J. GLASS

Glass is manufactured material that is not 100% pure. Invisible nickel sulphide impurities may cause spontaneous glass breakage, which may occur in all glass by all manufacturers. The Purchaser is recommended to take up home insurance covering glass breakage to cover this possible event. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clauses 9 and 17.

Note: Developers who insert this note are required to disclose the contents of this note to Purchasers before the issue of the Option to Purchase.

K. MECHANICAL VENTILATION SYSTEM

Mechanical ventilation fans and ductings are provided to toilets which are not naturally ventilated. To ensure good working condition of the mechanical ventilation system, the mechanical ventilation system for the exhaust system within internal toilets (where applicable) is to be maintained by the Purchaser on a regular basis.

L. PRE-FABRICATED BATHROOM UNITS

Certain bathroom and W.C. may be pre-fabricated construction and all penetrations are sealed at manufacturer's factory prior to installation on site. Any subsequent penetrations are not recommended as they will compromise the waterproofing warranty. Any hacking, repairing and drilling within bathroom must be in accordance to the manufacturer's manual book.

Note: Developers who insert this note are required to disclose the contents of this note to Purchasers before the issue of the Option to Purchase.

M.PLANTERS

Planters are designed to take the loading of potted plants only. No soil material or turf/plants will be provided in the planters.

N.WALL

All wall finishes shall be terminated at false ceiling level. There will be no tiles/stone works behind kitchen cabinets/longbath/vanity cabinet/mirror.

O.CABLE SERVICES

The Vendor shall endeavour to procure a service provider for cable television and/or internet services (the "Cable Services") to provide the necessary cabling or connection from its network to the Unit/Building and/or the Housing Project (or any part or parts thereof), so as to enable the Unit/Building and/or the Housing Project to receive the Cable Services. In the event, despite reasonable efforts being made by the Vendor, the Vendor is unable to procure any service provider to provide the said cabling or connection, thereby resulting in there being no Cable Services available in the Unit/Building and/or the Housing Project, the Vendor shall not be liable to the Purchaser for any compensation or for any damages, costs, fees, expenses or losses whatsoever, or howsoever incurred, by virtue of the Purchaser being unable to obtain the Cable Services in the Unit/Building and/or the Housing Project.

P. HOME FIRE ALARM DEVICE (HFAD)

Home Fire Alarm Device is provided to each residential unit as per compliance to local authority requirement. To ensure working condition, the HFAD has to be maintained from time to time.

Q.HOMOGENEOUS/PORCELAIN/CERAMIC TILES/ENGINEERED COUNTERTOP

Homogeneous/Porcelain/Ceramic Tiles/Engineered Countertop are materials containing veins with tonality differences. There will be colour and markings caused by the print of the pattern where non-uniformity between pieces cannot be totally avoided.

SMART HOME LIVING



IOT Gateway
Control Your Smart Home devices
via Mobile



Aircon Control
On / Off, adjust for temperature & time schedule
for your Aircon remotely via Mobile device




Digital Lockset
Access your door via Manual PIN, Mobile app,
key and fingerprint

Future Expansions



Lighting
Control



Smart
Plug



Voice
Control



Camera



And more...



Lifestyle Services



Masterclasses



Smart Intercom



Facility Booking



Visitor Registration



Car Plate Recognition



LIVING AND DINING AREA



MASTER BEDROOM

All photographs are impression only

THOUGHTFUL
CONSIDERATION
IN EVERY
DESIGN DECISION

BEDROOM



Electrolux

FERMAX

FRANKE

GROHE

KOHLER®



SAMSUNG

CORPORATE PROFILE



CITY SUITES (SINGAPORE)



9 PENANG ROAD (SINGAPORE)



THE VALES (SINGAPORE)



THE GAZANIA (SINGAPORE)



THE LILIUM (SINGAPORE)



VIETNAM TOWN (USA)

SingHaiyi Group Ltd. is a fast-growing, diversified real estate company listed on the Mainboard of the Singapore Exchange (SGX), focused on property development, investment and management services. With strategic support from its major shareholders, it is led by a board and management team that has deep insights and strong connections that enable access to unique and rare investment opportunities.

Over the years, SingHaiyi has built a solid track record in property development in Singapore with well-designed and quality residential properties such as The Vales and City Suites, both rated “CONQUAS STAR” by the Building and Construction Authority.

The Vales has won three awards at the recent 2018 PropertyGuru Asia Property Awards (Singapore), including the Best Executive Condo Development Award, Best Executive Condo Interior Design Award and Best Executive Condo Architectural Design Award. This is an endorsement of the design and quality of SingHaiyi’s projects.

Apart from an established track record in residential and commercial property development in Singapore and the U.S., it holds a diversified portfolio of income-generative assets in the commercial and retail sectors, with geographical reach into the United States, Australia and a growing presence in Asia.

Backed by the philosophy of “精诚存信, 佳业传承”, SingHaiyi is founded on business excellence and integrity, and endeavours to build a trustworthy and reliable brand for enduring growth and a legacy for generations.

AWARDS AND ACCOLADES

PropertyGuru ASIA PROPERTY AWARDS SINGAPORE 2018



THE VALES
by Anchorvale Residences Pte Ltd
BEST EXECUTIVE CONDO
LANDSCAPE
ARCHITECTURAL DESIGN
HIGHLY COMMENDED



THE VALES
by Anchorvale Residences Pte Ltd
BEST EXECUTIVE CONDO
ARCHITECTURAL DESIGN
WINNER




THE VALES
by Anchorvale Residences Pte Ltd
BEST EXECUTIVE CONDO
DEVELOPMENT
WINNER



THE VALES
by Anchorvale Residences Pte Ltd
BEST EXECUTIVE CONDO
INTERIOR DESIGN
WINNER



BCA CONSTRUCTION QUALITY ASSESSMENT SYSTEM CONQUAS



CITY SUITES
CHINA CONSTRUCTION (SOUTH PACIFIC)
DEVELOPMENT CO PTE LTD
Main Contractor

CORPORATE RESIDENCE PTE LTD
Developer
Date of Issue: 22/06/2018



THE VALES
CHINA CONSTRUCTION (SOUTH PACIFIC)
DEVELOPMENT CO PTE LTD
Main Contractor

ANCHORVALE RESIDENCES PTE LTD
Developer
Date of Issue: 06/04/2018



BCA GREEN MARK AWARDS



9 PENANG ROAD
Platinum Award
2017



THE VALES
Gold Plus Award
2015

Developer: Sing-Haiyi Gold Pte Ltd • Company Registration No.: 201732272R • Developer's License No.: C1330 • Tenure of Land: existing 99 years leasehold commencing from 8 March 1982 or date of acceptance of Singapore Land Authority's letter of offer for lease upgrading (whichever is applicable) • Expected Date of Vacant Possession: 1 September 2023 • Expected Date of Legal Completion: 1 September 2026 • Lot & Mukim No.: MK05 LOT 04512W • Encumbrances: United Overseas Bank Limited

While every reasonable care has been taken in preparing this advertisement, neither the developer nor its agents will be held responsible for any inaccuracies or omissions. All statements are believed to be correct but are not to be regarded as statements or representation of facts. All information and specifications are current at the time of going to press and are subject to such changes as may be required by the developer. Renderings and illustrations are artist's impressions only and photographs are only decor suggestions and cannot be regarded as representations of fact. All areas and other measurements are approximate only and subject to final survey. The Sale and Purchase Agreement embodies all the terms and conditions between the developer and the purchaser and supersedes and cancels in all respects all previous representations, warranties, promises, inducements or statements of intention, whether written or oral made by the developer and/or the developer's agent which are not embodied in the Sale and Purchase Agreement.